








A more complete and distinct product separation is achieved with the superior traction provided by the rippled deck insert.



HIGH EFFICIENCY FAN

Utilizing a high efficiency bottom fan, the Roca series stoner enables the user to make precise air adjustments with one simple control. Multiple air adjustments are not necessary to obtain proper bed fluidization.



The Roca series stoner is offered with a discharge system to meet every need. Decks with individual discharge gates or automatic discharge systems are available.



All LMC stoners are eccentric driven and fully counterbalanced. This reliable system eliminates unnecessary vibrations therfore lengthening the life of the machine and reducing energy costs.

LMC STONER

The LMC Stoner has a reputation for being the most reliable, user friendly, and efficient stoner available. The heavy-duty construction offers years of service life with minimal attention. No other stoner can match the ease of operation of the LMC. An exact separation can be achieved with a few simple adjustments.

The LMC Stoner is designed with food quality construction standards in mind. The three-component deck system (deck cap, insert, diffusion plate) is designed for easy removal when changing products or performing routine sanitation. Sanitary design is particularly important in today's processing environment where customers are continuously changing between products or varieties. LMC offers several different product contact materials for total customization in order to ensure adherence to the customer's food safety specifications.

Versatility is a trademark of the LMC Stoner. An array of options such as stainless steel contacts, dust hoods, VFD controls, and multiple deck configurations are offered to suit the needs of every customer. Several different models and sizes of stoners are available to achieve desired capacities. LMC Stoners are currently being utilized in the edible, seed, and recyclable industries.

Shown with Optional Dust Hood & Automatic Stone Discharge

	******	DUST HOOD CFM REQ. (optional)	III.				******
ROCA 60	3 hp 20 hp	17,000	6,875	141 7/8"	82 5/8"	80"	188*
ROCA 48	3 hp 10 hp	10,000	4,655	123 5/8"	70 3/4"	68"	BB*
ROCA 36	3 hp 7.5 hp	8,000	4,025	121"	70 3/4"	63 1/2"	III.
302	5 hp	3,000	1,600	72 1/2"	49"	45 1/2"	
24	2 hp	1,800	985	63"	41 5/8"	31"	111"
16	I hp	1,000	575	53"	37"	23"	al.

- Variable Frequency Drive controls for fan and eccentric speed
- Dust hood
- Automatic or manual discharge gates
- Stainless steel contact surfaces



LEWIS M. CARTER MANUFACTURING COMPANY

FOURTH GENERATION FAMILY BUSINESS WITH OVER 70 YEARS EXPERIENCE IN DESIGNING AND BUILDING PROCESSING EQUIPMENT.

WE AT LMC TAKE PRIDE IN OUR ABILITIES, OUR INNOVATIONS, OUR PEOPLE, AND OUR CUSTOMERS. LMC IS A QUALITY DRIVEN COMPANY WITH EMPHASIS ON PERFORMANCE, RELIABILITY AND CUSTOMER SATISFACTION.



ASPIRATORS BEAN POLISHERS CLEANERS CONVEYORS DESTONERS

ELEVATORS GRAVITY SEPARATORS HARD SHELL CRACKERS PEANUT BLANCHERS

PEANUT SHELLERS PREHULLERS SHEAR ROLLS SIZING SHAKERS